

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




7/24

FIG. 8A



LUTs FOR COLOR FOGGING CORRECTION AND CONTRAST CORRECTION

FIG. 8B



LUT FOR EXPOSURE CORRECTION

FIG. 9




FIG. 10




FIG. 11





FIG. 12



12/24

FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17A




FIG. 17B




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

POSTURES OF CAMERA
DURING PHOTOGRAPHING




FIG. 24A

DIFFERENCE IN LUMINANCE BETWEEN TWO REGIONS,
AND SIZES OF THE TWO REGIONS ARE CHECKED

ANGLE WITH RESPECT TO
HORIZON IS CHECKED

DISTANCE
IS CHECKED

DARK REGION OBTAINED AT STEP S61




FIG. 24B

RECTANGULAR REGION
IS CREATED





FIG. 24C

EDGE AND COLOR INFORMATION, ARE
DETERMINED IN RECTANGULAR REGION






FIG. 26

		IN-FOCUS POSITION		
		SHORT DISTANCE	INTERMEDIATE DISTANCE	LONG DISTANCE
FLASH	USED	HP = ## SP = ##	HP = ## SP = ##	HP = ## SP = ##
	NOT USED	HP = ## SP = ##	HP = ## SP = ##	HP = ## SP = ##

FIG. 27




FIG. 28

